

# INVESTIGACIÓN DE EXCELENCIA EN CAYETANO HEREDIA

## LEGADO Y COMPROMISO

Carlos F. Cáceres

*Editor*

Teresa Fernández-Bringas

*Coordinadora editorial*

Jorge Arévalo, Coralith García, Fabiola León-Velarde

*Coeditores*

## Capítulo 4

### Parásitos y las enfermedades que producen

#### Referencias

- Acosta-Jamett, G., Tamarozzi, F., Castro, N., Santivanez, S. J., Laurente, R. E., et al. (2025). Community risk of environmental-borne cystic echinococcosis transmission in South America: results from the multistep cross-sectional and case-control PERITAS study. *PLoS Neglected Tropical Diseases*, 19(8), e0013382. <https://doi.org/10.1371/journal.pntd.0013382>
- Adaui, V., Kröber-Boncardo, C., Brinker, C., Zirpel, H., Sellau, J., et al. (2020). Application of CRISPR/Cas9-Based reverse genetics in *Leishmania braziliensis*: conserved roles for HSP100 and HSP23. *Genes*, 11(10), 1159. <https://doi.org/10.3390/genes11101159>
- Adaui, V., Lye, L.-F., Akopyants, N. S., Zimic, M., Llanos-Cuentas, A., et al. (2016). Association of the endobiont double-stranded RNA virus LRV1 with treatment failure for human Leishmaniasis caused by *Leishmania braziliensis* in Peru and Bolivia. *The Journal of Infectious Diseases*, 213(1), 112-121. <https://doi.org/10.1093/infdis/jiv354>
- Alnasser, Y., Ferradas, C., Clark, T., Calderon, M., Gurbillon, A., et al. (2016). Colorimetric detection of *Plasmodium vivax* in urine using MSP10 oligonucleotides and gold nanoparticles. *PLoS Neglected Tropical Diseases*, 10(10), e0005029. <https://doi.org/10.1371/journal.pntd.0005029>
- Aron-Said, C., Montes, M., White Jr., A. C. y Cabada, M. M. (2021). Plasma cytokines during acute human fascioliasis. *Parasitology Research*, 120(8), 2965-2968. <https://doi.org/10.1007/s00436-021-07230-8>
- Boggild, A. K., Miranda-Verastegui, C., Espinosa, D., Arevalo, J., Martinez-Medina, D., et al. (2008). Optimization of microculture and evaluation of miniculture for the isolation of *Leishmania* parasites from cutaneous lesions in Peru. *The American Journal of Tropical Medicine and Hygiene*, 79(6), 847-852.
- Boggild, A. K., Valencia, B. M., Espinosa, D., Veland, N., Ramos, A. P., et al. (2010). Detection and species identification of *Leishmania* DNA from filter paper lesion impressions for patients with American cutaneous leishmaniasis. *Clinical Infectious Diseases*, 50(1), e1-e6. <https://doi.org/10.1086/648730>
- Bonnet, G., Pizzitutti, F., Gonzales-Gustavson, E. A., Gabriël, S., Pan, W. K., et al. (2022). CystiHuman: a model of human neurocysticercosis. *PLoS Computational Biology*, 18(5), e1010118. <https://doi.org/10.1371/journal.pcbi.1010118>
- Cabello-Vílchez, A. M., Mena, R., Zuñiga, J., Cermeño, P., Martín-Navarro, C. M., et al. (2014). Endosymbiotic *Mycobacterium chelonae* in a *Vermamoeba vermiformis* strain isolated from the nasal mucosa of an HIV patient in Lima, Peru. *Experimental Parasitology*, 145(Suppl), S127-S130. <https://doi.org/10.1016/j.exppara.2014.02.014>
- Cabello-Vílchez, A. M., Ñavincopa, M., Terán, A., Guerra, H., Ricaldi, J. N., et al. (2020). Mixed CNS infection by a *Balamuthia amoeba* and a *Mycobacterium*: two cases from Peru. *SN Comprehensive Clinical Medicine*, 2(5), 653-657. <https://doi.org/10.1007/s42399-020-00283-3>
- Cabello-Vílchez, A. M., Rodríguez-Zaragoza, S., Piñero, J., Valladares, B. y Lorenzo-Morales, J. (2014). *Balamuthia mandrillaris* in South America: an emerging potential hidden pathogen in Perú. *Experimental Parasitology*, 145(Suppl), S10-S19. <https://doi.org/10.1016/j.exppara.2014.05.007>

- Campos-Olazábal, P., Cabrera, J., Gotuzzo, E. y Guillén, D. (1999). Compromiso neurológico en amibiasis de vida libre. *Revista de Neurología*, 29(4), 316-318. <https://doi.org/10.33588/rn.2904.99099>
- Carrasco-Escobar, G., Manrique, E., Ruiz-Cabrejos, J., Saavedra, M., Alava, F., et al. (2019). High-accuracy detection of malaria vector larval habitats using drone-based multispectral imagery. *PLoS Neglected Tropical Diseases*, 13(1), e0007105. <https://doi.org/10.1371/journal.pntd.0007105>
- Castaneda-Carpio, D., Gutierrez-Loli, R., Maravi-Jaime, J., Del Aguila, S. W., Villar-Davila, V., et al. (2025). Transcriptome of *Taenia solium* during *in vitro* cyst activation and initial growth into the tapeworm stage. *Scientific Data*, 12, 808. <https://doi.org/10.1038/s41597-025-05141-2>
- Castillo, Y., Rodriguez, S., García, H. H., Brandt, J., van Hul, A., et al. (2009). Urine antigen detection for the diagnosis of human neurocysticercosis. *The American Journal of Tropical Medicine and Hygiene*, 80(3), 379-383. <https://doi.org/10.4269/ajtmh.2009.80.379>
- Castro-Sesquen, Y. E., Gilman, R. H., Galdos-Cardenas, G., Ferrufino, L., Sánchez, G., et al. (2014). Use of a novel Chagas urine nanoparticle test (Chunap) for diagnosis of congenital Chagas disease. *PLoS Neglected Tropical Diseases*, 8(10), e3211. <https://doi.org/10.1371/journal.pntd.0003211>
- Castro-Sesquen, Y. E., Kim, C., Gilman, R. H., Sullivan, D. J. y Searson, P. C. (2016). Nanoparticle-based histidine-rich protein-2 assay for the detection of the malaria parasite *Plasmodium falciparum*. *The American Society of Tropical Medicine and Hygiene*, 95(2), 354-357. <https://doi.org/10.4269/ajtmh.15-0772>
- Castro-Sesquen, Y. E., Tinajeros, F., Bern, C., Galdos-Cardenas, G., Malaga, E. S., et al. (2020). The immunoglobulin M-Shed acute phase antigen (SAPA)-test for the early diagnosis of congenital Chagas disease in the time of the elimination goal of mother-to-child transmission. *Clinical Infectious Diseases*, 73(2), e477-e484. <https://doi.org/10.1093/cid/ciaa986>
- Chile, N., Clark, T., Arana, Y., Ortega, Y. R., Palma, S., et al. (2016). *In vitro* study of *Taenia solium* postoncospherical form. *PLoS Neglected Tropical Diseases*, 10(2), e0004396. <https://doi.org/10.1371/journal.pntd.0004396>
- Córdova, M., Herrera, P., Nopo, L., Bellatin, J., Naquira, C., et al. (1997). *Fasciola hepatica* cysteine proteinases: immunodominant antigens in human fascioliasis. *The American Journal of Tropical Medicine and Hygiene*, 57(6), 660-666. <https://doi.org/10.4269/ajtmh.1997.57.660>
- Crannell, Z. A., Cabada, M. M., Castellanos-Gonzalez, A., Irani, A., White, A. C., et al. (2015). Recombinase polymerase amplification-based assay to diagnose *Giardia* in stool samples. *The American Society of Tropical Medicine and Hygiene*, 92(3), 583-587. <https://doi.org/10.4269/ajtmh.14-0593>
- Espinosa, D., Boggild, A. K., Deborggraeve, S., Laurent, T., Valencia, C., et al. (2009). *Leishmania* OligoC-TesT as a simple, rapid, and standardized tool for molecular diagnosis of cutaneous leishmaniasis in Peru. *Journal of Clinical Microbiology*, 47(8), 2560-2563. <https://doi.org/10.1128/JCM.00259-09>
- Flores, C. A., Ferradas, C., Málaga-Machaca, E. S., Diestra, A., Steinberg, H. E., et al. (2025). Seroprevalence and factors associated with infection with *Toxoplasma gondii* in Iquitos and Lima, Peru. *The American Journal of Tropical Medicine and Hygiene*, 113(3), 600-606. <https://doi.org/10.4269/ajtmh.25-0135>
- Flores, C. A., Jimenez, J., Gomez-Puerta, L. A., Palacios, C., O'Neal, S. E., et al. (2021). Seroprevalence of *Toxoplasma gondii* in free-range pigs in northern Peru. *Veterinary Parasitology, regional studies and reports*, 23, 100533. <https://doi.org/10.1016/j.vprsr.2021.100533>
- Gamboa, D., Ho, M.-F., Bendezu, J., Torres, K., Chiodini, P. L., et al. (2010). A large proportion of *P. falciparum* isolates in the Amazon region of Peru lack *pfhrp2* and *pfhrp3*: implications

- for malaria rapid diagnostic tests. *PLoS ONE*, 5(1), e8091. <https://doi.org/10.1371/journal.pone.0008091>
- Gamboa, D., Torres, K., De Doncker, S., Zimic, M., Arevalo, J., et al. (2008). Evaluation of an *in vitro* and *in vivo* model for experimental infection with *Leishmania (Viannia) braziliensis* and *L. (V.) peruviana*. *Parasitology*, 135(3), 319-326. <https://doi.org/10.1017/S0031182007003848>
- García Castillo, S. S., Abanto Alvarez, C., Rosas-Aguirre, Á., Acosta, C., Corder, R. M., et al. (2024). Recurrence patterns and evolution of submicroscopic and asymptomatic *Plasmodium vivax* infections in malaria-endemic areas of the Peruvian Amazon. *PLoS Neglected Tropical Diseases*, 18(10), e0012566. <https://doi.org/10.1371/journal.pntd.0012566>
- García, H. H., Gonzalez, A. E., Tsang, V. C. W., O'Neal, S. E., Llanos-Zavalaga, F., et al. (2016). Elimination of *Taenia solium* transmission in Northern Peru. *The New England Journal of Medicine*, 374(24), 2335-2344. <https://doi.org/10.1056/NEJMoa1515520>
- García, H. H., Martínez, M., Gilman, R., Herrera, G., Tsang, V. C., et al. (1991). Diagnosis of cysticercosis in endemic regions. The Cysticercosis Working Group in Peru. *Lancet*, 338(8766), 549-551. [https://doi.org/10.1016/0140-6736\(91\)91109-8](https://doi.org/10.1016/0140-6736(91)91109-8)
- Gotuzzo, E., Terashima, A., Alvarez, H., Tello, R., Infante, R., et al. (1999). *Strongyloides stercoralis* hyperinfection associated with human T cell lymphotropic virus type-1 infection in Peru. *The American Journal of Tropical Medicine and Hygiene*, 60(1), 146-149. <https://doi.org/10.4269/ajtmh.1999.60.146>
- Grande, T., Bernasconi, A., Erhart, A., Gamboa, D., Casapia, M., et al. (2007). A randomised controlled trial to assess the efficacy of dihydroartemisinin-piperazine for the treatment of uncomplicated *Falciparum* malaria in Peru. *PLoS ONE*, 2(10), e1101. <https://doi.org/10.1371/journal.pone.0001101>
- Guerra-Giraldez, C., Marzal, M., Cangalaya, C., Balboa, D., Orrego, M. Á., et al. (2013). Disruption of the blood-brain barrier in pigs naturally infected with *Taenia solium*, untreated and after anthelmintic treatment. *Experimental Parasitology*, 134(4), 443-446. <https://doi.org/10.1016/j.exppara.2013.05.005>
- Gutierrez-Loli, R., Ferradas, C., Diestra, A., Traianou, A., Bowman, N., et al. (2019). Development of a novel protocol based on blood clot to improve the sensitivity of qPCR detection of *Toxoplasma gondii* in peripheral blood specimens. *The American Journal of Tropical Medicine and Hygiene*, 100(1), 83-89. <https://doi.org/10.4269/ajtmh.17-0920>
- Hakim, J. M. C., Gutierrez Guarnizo, S. A., Málaga Machaca, E., Gilman, R. H. y Mugnier, M. R. (2024). Whole-genome assembly of a hybrid *Trypanosoma cruzi* strain assembled with Nanopore sequencing alone. *G3: Genes, Genomes, Genetics*, 14(6), jkae076. <https://doi.org/10.1093/g3journal/jkae076>
- Heeren, S., Maes, I., Sanders, M., Lye, L.-F., Adauí, V., et al. (2023). Diversity and dissemination of viruses in pathogenic protozoa. *Nature Communications*, 14, 8343. <https://doi.org/10.1038/s41467-023-44085-2>
- Janko, M. M., Recalde-Coronel, G. C., Damasceno, C. P., Salmón-Mulanovich, G., Barbieri, A. F., et al. (2023). The impact of sustained malaria control in the Loreto region of Peru: a retrospective, observational, spatially-varying interrupted time series analysis of the PAMAFRO program. *The Lancet Regional Health: Americas*, 20, 100477. <https://doi.org/10.1016/j.lana.2023.100477>
- Jara, M., Maes, I., Imamura, H., Domagalska, M. A., Dujardin, J. C., et al. (2019). Tracking of quiescence in *Leishmania* by quantifying the expression of GFP in the ribosomal DNA locus. *Scientific Reports*, 9, 18951. <https://doi.org/10.1038/s41598-019-55486-z>
- Jimenez-Chunga, J., Sullca-Sulca, F., Castro-Hidalgo, J., Calderón-Sánchez, M. y Gomez-Puerta, L. A. (2025). Seroprevalence of *Toxoplasma gondii* in domestic dogs from Lima City in Peru. *Veterinary Parasitology: Regional studies and reports*, 57, 101153. <https://doi.org/10.1016/j.vprsr.2024.101153>

- Kariyawasam, R., Valencia, B. M., Lau, R., Shao, E., Thompson, C. A., et al. (2021). Evaluation of a point-of-care molecular detection device for *Leishmania* spp. and intercurrent fungal and mycobacterial organisms in Peruvian patients with cutaneous ulcers. *Infection*, 49(6), 1203-1211. <https://doi.org/10.1007/s15010-021-01673-y>
- Kattenberg, J. H., Cabrera-Sosa, L., Figueroa-Ildefonso, E., Mutsaers, M., Monsieurs, P., et al. (2024). *Plasmodium vivax* genomic surveillance in the Peruvian Amazon with Pv AmpliSeq assay. *PLoS Neglected Tropical Diseases*, 18(7), e0011879. <https://doi.org/10.1371/journal.pntd.0011879>
- Kattenberg, J. H., Fernandez-Miñope, C., van Dijk, N. J., Llacsahuanga Allcca, L., Guetens, P., et al. (2023). Malaria molecular surveillance in the Peruvian Amazon with a novel highly multiplexed *Plasmodium falciparum* AmpliSeq assay. *Microbiology Spectrum*, 11(2), e00960-22. <https://doi.org/10.1128/spectrum.00960-22>
- Ko, P. P., Suzuki, K., Canales-Ramos, M., Aung, M. P. T. H. H., Htike, W. W., et al. (2020). Phylogenetic relationships of *Strongyloides* species in carnivore hosts. *Parasitology International*, 78, 102151. <https://doi.org/10.1016/j.parint.2020.102151>
- Lacerda, M. V. G., Llanos-Cuentas, A., Krudsood, S., Lon, C., Saunders, D. L., et al. (2019). Single-dose tafenoquine to prevent relapse of *Plasmodium vivax* malaria. *The New England Journal of Medicine*, 380(3), 215-228. <https://doi.org/10.1056/NEJMoa1710775>
- Lee, C., Noh, J., O'Neal, S. E., Gonzalez, A. E., Garcia, H. H., et al. (2019). Feasibility of a point-of-care test based on quantum dots with a mobile phone reader for detection of antibody responses. *PLoS Neglected Tropical Diseases*, 13(10), e0007746. <https://doi.org/10.1371/journal.pntd.0007746>
- Lee, G., Rosa, B. A., Fernandez-Baca, M. V., Martin, J., Ore, R. A., et al. (2025). Distinct gut microbiome features characterize *Fasciola hepatica* infection and predict triclabendazole treatment outcomes in Peruvian patients. *Frontiers in Cellular and Infection Microbiology*, 15, 1555171. <https://doi.org/10.3389/fcimb.2025.1555171>
- León-Barúa, R. (2013). Recuerdos de colaboración con el Dr. Hugo Lumbreras Cruz y el Instituto de Medicina Tropical Alexander von Humboldt. *Acta Herediana*, 53, 29-31. <https://doi.org/10.20453/ah.v53i0.2305>
- León-Barúa, R. y Lumbreras, H. (1968). The possible role of intestinal bacterial flora in the genesis of diarrhea and malabsorption associated with parasitosis. *Gastroenterology*, 55(4), 559-561. [https://doi.org/10.1016/S0016-5085\(19\)34032-6](https://doi.org/10.1016/S0016-5085(19)34032-6)
- Llanos-Cuentas, A., Campos, P., Clendenes, M., Canfield, C. J. y Hutchinson, D. B. A. (2001). Atovaquone and proguanil hydrochloride compared with chloroquine or pyrimethamine/sulfadoxine for treatment of acute *Plasmodium falciparum* malaria in Peru. *Brazilian Journal of Infectious Diseases*, 5(2), 67-72. <https://doi.org/10.1590/S1413-86702001000200004>
- Llanos-Cuentas, A., Lacerda, M. V., Rueangweerayut, R., Krudsood, S., Gupta, S. K., et al. (2014). Tafenoquine plus chloroquine for the treatment and relapse prevention of *Plasmodium vivax* malaria (DETECTIVE): a multicentre, double-blind, randomised, phase 2b dose-selection study. *The Lancet*, 383(9922), 1049-1058. [https://doi.org/10.1016/S0140-6736\(13\)62568-4](https://doi.org/10.1016/S0140-6736(13)62568-4)
- López, M., Inga, R., Cueva, N., Alvarez, E. y Arevalo, J. (1993). PCR: a tool for diagnosis of American tegumentary leishmaniasis in a health post of rural endemic areas. *Archives de l'Institut Pasteur de Tunis*, 70(3-4), 499-504.
- López, M., Montoya, Y., Arana, M., Cruzalegui, F., Braga, J., et al. (1988). The use of nonradioactive DNA probes for the characterization of *Leishmania* isolates from Peru. *The American Journal of Tropical Medicine and Hygiene*, 38(2), 308-314. <https://doi.org/10.4269/ajtmh.1988.38.308>
- Lumbreras, H. (1982). Vista panorámica sobre la patología tropical peruana y especial referencia a aquellas enfermedades que requieren estudio. *Amazonía Peruana*, (6), 7-12. <https://doi.org/10.52980/revistaamazonaperuana.vi6.220>

- Lumbreras, H. y Muñoz, N. (1962). El uso de la «técnica de Baermann modificada en copa» para determinar la incidencia de la balantidiasis en la ciudad de Pucallpa del departamento de Loreto, Perú. *Revista Médica Peruana*, 31(331), 83-88.
- Lumbreras, H., Cantella, R. y Burga, R. (1962). Acerca de un procedimiento de sedimentación rápida para investigar huevos de *Fasciola hepática* en las heces, su evaluación y uso en el campo. *Revista Médica Peruana*, 31(332), 167-174.
- Madico, G., McDonald, J., Gilman, R. H., Cabrera, L. y Sterling, C. R. (1997). Epidemiology and treatment of *Cyclospora cayetanensis* infection in Peruvian children. *Clinical Infectious Diseases*, 24(5), 977-981. <https://doi.org/10.1093/clinids/24.5.977>
- Mahanty, S., Orrego, M. Á., Cangalaya, C., Adrianzen, M. P., Arroyo, G., et al. (2017). TNF- $\alpha$  blockade suppresses pericystic inflammation following anthelmintic treatment in porcine neurocysticercosis. *PLoS Neglected Tropical Diseases*, 11(11), e0006059. <https://doi.org/10.1371/journal.pntd.0006059>
- Mahanty, S., Orrego, M. Á., Mayta, H., Marzal, M., Cangalaya, C., et al. (2015). Post-treatment vascular leakage and inflammatory responses around brain cysts in porcine neurocysticercosis. *PLoS Neglected Tropical Diseases*, 9(3), e0003577. <https://doi.org/10.1371/journal.pntd.0003577>
- Maquera-Afaray, J., Luna-Vilchez, M., Salazar-Mesones, B., Chiara-Chilet, C., Cordero-Campos, A., et al. (2022). Toxoplasmosis congénita con enfermedad neurológica severa en un hospital de referencia del Perú. *Revista Peruana de Medicina Experimental y Salud Pública*, 39(2), 208-213. <https://doi.org/10.17843/rpmesp.2022.392.10897>
- Marsden, P. D., Sampaio, R. N. R., Carvalho, E. M., Veiga, J. P. T., Costa, J. L. M., et al. (1985). High continuous antimony therapy in two patients with unresponsive mucosal leishmaniasis. *The American Journal of Tropical Medicine and Hygiene*, 34(4), 710-713. <https://doi.org/10.4269/ajtmh.1985.34.710>
- Martínez, D. Y., Seas, C., Bravo, F., Legua, P., Ramos, C., et al. (2010). Successful treatment of *Balamuthia mandrillaris* amoebic infection with extensive neurological and cutaneous involvement. *Clinical Infectious Diseases*, 51(2), e7-e11. <https://doi.org/10.1086/653609>
- Mayta, H., Talley, A., Gilman, R. H., Jimenez, J., Verástegui, M., et al. (2000). Differentiating *Taenia solium* and *Taenia saginata* infections by simple hematoxylin-eosin staining and PCR-Restriction enzyme analysis. *Journal of Clinical Microbiology*, 38(1), 133-137. <https://doi.org/10.1128/JCM.38.1.133-137.2000>
- Menajovsky, M. F., Espunyes, J., Ulloa, G., Calderon, M., Diestra, A., et al. (2024). *Toxoplasma gondii* in a remote subsistence hunting-based indigenous community of the Peruvian Amazon. *Tropical Medicine and Infectious Disease*, 9(5), 98. <https://doi.org/10.3390/tropicalmed9050098>
- Montes, M., Sanchez, C., Verdonck, K., Lake, J. E., Gonzalez, E., et al. (2009). Regulatory T Cell expansion in HTLV-1 and Strongyloidiasis co-infection is associated with reduced IL-5 responses to *Strongyloides stercoralis* antigen. *PLoS Neglected Tropical Diseases*, 3(6), e456. <https://doi.org/10.1371/journal.pntd.0000456>
- Montoya, Y., Leon, C., Talledo, M., Nolasco, O., Padilla, C., et al. (1997). Recombinant antigens for specific and sensitive serodiagnosis of Latin American tegumentary leishmaniasis. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 91(6), 674-676. [https://doi.org/10.1016/S0035-9203\(97\)90520-4](https://doi.org/10.1016/S0035-9203(97)90520-4)
- Moreano-Chacón, A., Gomez-Puerta, L. A., Castro-Hidalgo, J., Calderón-Sánchez, M., Malaga-Machaca, E., et al. (2026). Characterization of excretory-secretory antigens of *Toxoplasma gondii* in the acute and chronic phase of toxoplasmosis in a murine model. *Acta Parasitológica*, 71(1), 2. <https://doi.org/10.1007/s11686-025-01186-w>
- O'Neal, S. E., Moyano, L. M., Ayvar, V., Rodriguez, S., Gavidia, C., et al. (2014). Ring-screening to control endemic transmission of *Taenia solium*. *PLoS Neglected Tropical Diseases*, 8(9), e3125. <https://doi.org/10.1371/journal.pntd.0003125>

- Ochoa, T. J. y White, A. C. (2005). Nitazoxanide for treatment of intestinal parasites in children. *The Pediatric Infectious Disease Journal*, 24(7), 641-642. <https://doi.org/10.1097/01.inf.0000171522.79099.c5>
- Organización Mundial de la Salud (2025, 14 de diciembre). *Enfermedades tropicales desatendidas*. <https://www.who.int/es/news-room/questions-and-answers/item/neglected-tropical-diseases>
- Ormachea, O., Villazón, A., Rodriguez, P. y Zimic, M. (2022). A smartphone-based low-cost inverted laser fluorescence microscope for disease diagnosis. *Biosensors*, 12(11), 960. <https://doi.org/10.3390/bios12110960>
- Orrego, M. Á., Cangalaya, C., Nash, T. E. y Guerra-Giraldez, C. (2014). Identificación de células proliferativas en quistes de *Taenia solium*. *Revista Peruana de Medicina Experimental y Salud Pública*, 31(4), 702-706. <https://doi.org/10.17843/rpmesp.2014.314.121>
- Orrego, M. Á., Szczesniak, M. W., Vasquez, C. M., Verástegui, M. R., Bustos, J. A., et al. (2024). Transcriptomic analysis of subarachnoid cysts of *Taenia solium* reveals mechanisms for uncontrolled proliferation and adaptations to the microenvironment. *Scientific Reports*, 14, 11833. <https://doi.org/10.1038/s41598-024-61973-9>
- Orrego, M. Á., Verástegui, M. R., Vasquez, C. M., Koziol, U., Laclette, J. P., et al. (2021). Identification and culture of proliferative cells in abnormal *Taenia solium* larvae: role in the development of racemose neurocysticercosis. *PLoS Neglected Tropical Diseases*, 15(3), e0009303. <https://doi.org/10.1371/journal.pntd.0009303>
- Ortega, Y. R., Gilman, R. H. y Sterling, C. R. (1994). A new coccidian parasite (Apicomplexa: Eimeriidae) from humans. *The Journal of Parasitology*, 80(4), 625-629.
- Ortega, Y. R., Sterling, C. R., Gilman, R. H., Cama, V. A. y Díaz, F. (1993). *Cyclospora* species—A new protozoan pathogen of humans. *The New England Journal of Medicine*, 328(18), 1308-1312. <https://doi.org/10.1056/NEJM199305063281804>
- Palomino, J. C., Guerra, H. y Lumbreras, H. (1983). A selective liquid medium for primary isolation of South American Leishmanias. *Tropenmedizin und Parasitologie*, 34(4), 229-232.
- Pray, I. W., Swanson, D. J., Ayvar, V., Muro, C., Moyano, L. M., et al. (2016). GPS Tracking of free-ranging pigs to evaluate ring strategies for the control of cysticercosis/taeniasis in Peru. *PLoS Neglected Tropical Diseases*, 10(4), e0004591. <https://doi.org/10.1371/journal.pntd.0004591>
- Pray, I. W., Wakeland, W., Pan, W., Lambert, W. E., Garcia, H. H., et al. (2020). Understanding transmission and control of the pork tapeworm with CystiAgent: a spatially explicit agent-based model. *Parasites & Vectors*, 13(1), 372. <https://doi.org/10.1186/s13071-020-04226-8>
- Querol, M., Alarcón, R., Castro de la Mata, R., Chiappo, L., Fernández, E., et al. (1967). *Planteamientos fundamentales de la renovación universitaria*. Universidad Peruana Cayetano Heredia.
- Ramirez, R., Torres, K., Rodríguez, P., Acosta, C., Guzmán-Guzmán, M., et al. (2025). High prevalence, genetic diversity and temporal differentiation of *Plasmodium vivax* in a remote hard-to-reach community from the Peruvian Amazon region. *The American Journal of Tropical Medicine and Hygiene*, 113(5), 990-996. <https://doi.org/10.4269/ajtmh.24-0662>
- Recavarren-Arce, S., Velarde, C., Gotuzzo, E. y Cabrera, J. (1999). Amoeba angeitic lesions of the central nervous system in *Balamuthia mandrillaris* amoebiasis. *Human Pathology*, 30(3), 269-273. [https://doi.org/10.1016/S0046-8177\(99\)90004-7](https://doi.org/10.1016/S0046-8177(99)90004-7)
- Romero, G., Arana, M., López, M., Montoya, Y., Bohl, R., et al. (1987). Characterization of *Leishmania* species from Peru. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 81(1), 14-24. [https://doi.org/10.1016/0035-9203\(87\)90270-7](https://doi.org/10.1016/0035-9203(87)90270-7)
- Rosado, J., Han, J., Obadia, T., Munro, J., Traore, Z., et al. (2025). *Understanding Plasmodium vivax recurrent infections using an amplicon deep sequencing assay, PvAmpSeq, identity-*

by-descent and model-based classification [preprint]. medRxiv.  
<https://doi.org/10.1101/2025.05.26.25327775>

- Saldarriaga, O. A., Castellanos-Gonzalez, A., Porrozzi, R., Baldeviano, G. C., Lescano, A. G., et al. (2016). An innovative field-applicable molecular test to diagnose *cutaneous Leishmania viannia* spp. *Infections. PLoS Neglected Tropical Diseases*, 10(4), e0004638. <https://doi.org/10.1371/journal.pntd.0004638>
- Serra-Casas, E., Manrique, P., Ding, X. C., Carrasco-Escobar, G., Alava, F., et al. (2017). Loop-mediated isothermal DNA amplification for asymptomatic malaria detection in challenging field settings: technical performance and pilot implementation in the Peruvian Amazon. *PLoS ONE*, 12(10), e0185742. <https://doi.org/10.1371/journal.pone.0185742>
- Soto-Calle, V., Rosas-Aguirre, A., Llanos-Cuentas, A., Abatih, E., DeDeken, R., et al. (2017). Spatio-temporal analysis of malaria incidence in the Peruvian Amazon region between 2002 and 2013. *Scientific Reports*, 7, 40350. <https://doi.org/10.1038/srep40350>
- Steinberg, H. E., Bowman, N. M., Diestra, A., Ferradas, C., Russo, P., et al. (2021). Detection of toxoplasmic encephalitis in HIV positive patients in urine with hydrogel nanoparticles. *PLoS Neglected Tropical Diseases*, 15(3), e0009199. <https://doi.org/10.1371/journal.pntd.0009199>
- Steinberg, H. E., Ramachandran, P. S., Diestra, A., Pinchi, L., Ferradas, C., et al. (2023). Clinical and metagenomic characterization of neurological infections of people with human immunodeficiency virus in the Peruvian Amazon. *Open Forum Infectious Diseases*, 10(11), ofad515. <https://doi.org/10.1093/ofid/ofad515>
- Steinberg, H. E., Russo, P., Angulo, N., Ynocente, R., Montoya, C., et al. (2018). Toward detection of toxoplasmosis from urine in mice using hydro-gel nanoparticles concentration and parallel reaction monitoring mass spectrometry. *Nanomedicine: Nanotechnology, Biology and Medicine*, 14(2), 461-469. <https://doi.org/10.1016/j.nano.2017.11.020>
- Tamayo, L. D., Condori-Pino, C. E., Sanchez, Z., Gonçalves, R., Málaga Chávez, F. S., et al. (2023). An effective internet-based system for surveillance and elimination of triatomine insects: AlertaChirimacha. *PLoS Neglected Tropical Diseases*, 17(10), e0011694. <https://doi.org/10.1371/journal.pntd.0011694>
- Toribio, L., Guzman, C., Noazin, S., Zimic-Sheen, A., Zimic, M., et al. (2023). Multiantigen print immunoassay (MAPIA) for the diagnosis of neurocysticercosis: a single-center diagnostic optimization and accuracy study in Lima, Peru. *Journal of Clinical Microbiology*, 61(12), e00760-23. <https://doi.org/10.1128/jcm.00760-23>
- Toribio, L., Romano, M., Scott, A. L., Gonzales, I., Saavedra, H., et al. (2019). Detection of *Taenia solium* DNA in the urine of neurocysticercosis patients. *The American Journal of Tropical Medicine and Hygiene*, 100(2), 327-329. <https://doi.org/10.4269/ajtmh.18-0706>
- Torres, K. J., Castrillon, C. E., Moss, E. L., Saito, M., Tenorio, R., et al. (2015). Genome-level determination of *Plasmodium falciparum* blood-stage targets of malarial clinical immunity in the Peruvian Amazon. *The Journal of Infectious Diseases*, 211(8), 1342-1351. <https://doi.org/10.1093/infdis/jiu614>
- Torres, K., Bachman, C. M., Delahunt, C. B., Alarcon Baldeon, J., Alava, F., et al. (2018). Automated microscopy for routine malaria diagnosis: a field comparison on Giemsa-stained blood films in Peru. *Malaria Journal*, 17(1), 339. <https://doi.org/10.1186/s12936-018-2493-0>
- Valencia, B. M., Veland, N., Alba, M., Adui, V., Arevalo, J., et al. (2012). Non-invasive cytology brush PCR for the diagnosis and causative species identification of American Cutaneous Leishmaniasis in Peru. *PLoS ONE*, 7(11), e49738. <https://doi.org/10.1371/journal.pone.0049738>
- Valencia-Ayala, E., Rodrigues da Cunha, G., Azevedo, M. A., Calderon, M., Jimenez, J., et al. (2020). C57BL/6  $\alpha$ -1,3-Galactosyltransferase knockout mouse as an animal model for experimental Chagas disease. *ACS Infectious Diseases*, 6(7), 1807-1815. <https://doi.org/10.1021/acsinfecdis.0c00061>

- Vargas, F., Roldán, J., Zavaleta, G., Gil, M., Ampuero, C., et al. (2001). Producción de *Bacillus thuringiensis* H-14 var. israelensis utilizando espárrago (*Asparagus officinalis*) y su uso potencial para el control de la malaria en La Libertad - Perú. *Revista Peruana de Medicina Experimental y Salud Pública*, 18(3-4), 82-89 <https://doi.org/10.17843/rpmesp.2001.183-4.758>
- Vargas-Urbina, J., Martinez-Silva, R., Rojas-Panta, G., Ponce-Manrique, G., Flores-Castillo, J., et al. (2025). Encephalitis-causing free-living amoebic infections in children: a rare and fatal disease. *Surgical Neurology International*, 16, 166. [https://doi.org/10.25259/SNI\\_65\\_2025](https://doi.org/10.25259/SNI_65_2025)
- Veland, N., Espinosa, D., Valencia, B. M., Ramos, A. P., Calderon, F., et al. (2011). Polymerase chain reaction detection of *Leishmania* kDNA from the urine of Peruvian patients with cutaneous and mucocutaneous leishmaniasis. *The American Society of Tropical Medicine and Hygiene*, 84(4), 556-561. <https://doi.org/10.4269/ajtmh.2011.10-0556>
- Verástegui, M., Gilman, R. H., Arana, Y., Barber, D., Velásquez, J., et al. (2007). *Taenia solium* oncosphere adhesion to intestinal epithelial and Chinese hamster ovary cells *in vitro*. *Infection and Immunity*, 75(11), 5158-5166. <https://doi.org/10.1128/IAI.01175-06>
- Verástegui, M., González, A., Gilman, R. H., Gavidia, C., Falcón, N., et al. (2000). Experimental infection model for *Taenia solium* cysticercosis in swine. *Veterinary Parasitology*, 94(1-2), 33-44. [https://doi.org/10.1016/S0304-4017\(00\)00369-1](https://doi.org/10.1016/S0304-4017(00)00369-1)
- Verástegui, M., Mejia, A., Clark, T., Gavidia, C. M., Mamani, J., et al. (2015). Novel rat model for neurocysticercosis using *Taenia solium*. *The American Journal of Pathology*, 185(8), 2259-2268. <https://doi.org/10.1016/j.ajpath.2015.04.015>
- Villasis, E., Garro, K., Rosas-Aguirre, A., Rodriguez, P., Rosado, J., et al. (2021). PvMSP8 as a novel *Plasmodium vivax* malaria sero-marker for the Peruvian Amazon. *Pathogens*, 10(3), 282. <https://doi.org/10.3390/pathogens10030282>
- Webb, C. M., Morales, M. L., López, M., Baca-Turpo, B., Arque, E., et al. (2021). Stunting in pre-school and school-age children in the Peruvian highlands and its association with *Fasciola* infection and demographic factors. *PLoS Neglected Tropical Diseases*, 15(6), e0009519. <https://doi.org/10.1371/journal.pntd.0009519>