

INVESTIGACIÓN DE EXCELENCIA EN CAYETANO HEREDIA

LEGADO Y COMPROMISO

Carlos F. Cáceres

Editor

Teresa Fernández-Bringas

Coordinadora editorial

Jorge Arévalo, Coralith García, Fabiola León-Velarde

Coeditores

Capítulo 7

Salud materno-infantil y pediatría

Referencias

- Acevedo-Rodriguez, J. G., Zamudio, C., Kojima, N., Krapp, F., Tsukayama, P., et al. (2024). Influenza incidence, lineages, and vaccine effectiveness in Lima, Peru, 2023. *The Lancet Microbe*, 5(4), e308-e309. [https://doi.org/10.1016/s2666-5247\(23\)00392-0](https://doi.org/10.1016/s2666-5247(23)00392-0)
- Alam, N. H., Majumder, R. N. y Fuchs, G. J. (1999). Efficacy and safety of oral rehydration solution with reduced osmolarity in adults with cholera: a randomised double-blind clinical trial. *The Lancet*, 354(9175), 296-299. [https://doi.org/10.1016/s0140-6736\(98\)09332-5](https://doi.org/10.1016/s0140-6736(98)09332-5)
- Alvarez, J. O., Cáceda, J., Wooley, T. W., Carley, K. W., Baiocchi, N., et al. (1993). Estudio longitudinal de caries dental en la dentición temporal de niños con desnutrición infantil. *Journal of Dental Research*, 72(12), 1573-1576. <https://doi.org/10.1177/002203459307201207>
- Amouzou, A., Barros, A. J. D., Requejo, J., Faye, C., Akseer, N., et al. (2025). The 2025 report of the Lancet Countdown to 2030 for women's, children's, and adolescents' health: tracking progress on health and nutrition. *The Lancet*, 405(10488), 1505-1554. [https://doi.org/10.1016/S0140-6736\(25\)00151-5](https://doi.org/10.1016/S0140-6736(25)00151-5)
- Baiocchi, N., Chea, E. y Salazar, E. (1994). Experiencia Hospital Nacional Cayetano Heredia, Unidad de Hidratación. *Revista Peruana de Pediatría*, 45, 1-2.
- Berry, S., Hernandez, H., Kanashiro, R., Campos, M., Azabache, V., et al. (1992). Comparison of high-titer Edmonston-Zagreb, Biken-CAM, and Schwarz measles vaccines in Peruvian infants. *Pediatric Infectious Disease Journal*, 11(10), 822-827. <https://doi.org/10.1097/00006454-199210000-00003>
- Black, R. E., Morris, S. S. y Bryce, J. (2003). Where and why are 10 million children dying every year? *The Lancet*, 361(9376), 2226-2234. [https://doi.org/10.1016/S0140-6736\(03\)13779-8](https://doi.org/10.1016/S0140-6736(03)13779-8)
- Blas, M. (2023). Mi camino para construir Mamás del Río. *Acta Herediana*, 66(1), 39-44. <https://doi.org/10.20453/ah.v66i1.4528>
- Blas, M. M., Reinders, S., Alva, A., Neuman, M., Lange, I., et al. (2023). Effect of the Mamás del Río programme on essential newborn care: a three-year before-and-after outcome evaluation of a community-based, maternal and neonatal health intervention in the Peruvian Amazon. *Lancet Regional Health. Americas*, 28, 100634. <https://doi.org/10.1016/j.lana.2023.100634>
- Bryce, J., El Arifeen, S., Pariyo, G., Lanata, C., Gwatkin, D., et al. (2003). Reducing child mortality: can public health deliver? *The Lancet*, 362(9378), 159-164. [https://doi.org/10.1016/s0140-6736\(03\)13870-6](https://doi.org/10.1016/s0140-6736(03)13870-6)
- Campos-Sánchez, M., Cordero-Muñoz, L., Velásquez-Hurtado, E., Baiocchi-Ureta, N., Miranda-Cuadros, M., et al. (2025). New World Health Organization guideline on anemia cut-off points: Implications for children aged 6-35 months in Peru. *Revista Peruana de Medicina Experimental y Salud Pública*, 42(2), 115-125. <https://doi.org/10.17843/rpmesp.2025.422.14028>
- Campos-Sánchez, M., Ricaldi-Sueldo, R., Miranda-Cuadros, M. y Equipo MONIN. (2011). Design of the National Surveillance of Nutritional Indicators (MONIN), Peru 2007-2010. *Revista Peruana de Medicina Experimental y Salud Pública*, 28(2), 210-221. <https://doi.org/10.1590/s1726-46342011000200007>
- CHOICE Study Group (2001). Multicenter, randomized, double-blind clinical trial to evaluate the efficacy and safety of a reduced osmolarity oral rehydration salts solution in children with

- acute watery diarrhea. *Pediatrics*, 107(4), 613-618. <https://doi.org/10.1542/peds.107.4.613>
- Countdown to 2030 Collaboration (2018). Countdown to 2030: tracking progress towards universal coverage for reproductive, maternal, newborn, and child health. *The Lancet*, 391(10129), 1538-1548. [https://doi.org/10.1016/S0140-6736\(18\)30104-1](https://doi.org/10.1016/S0140-6736(18)30104-1)
- Del Mastro, I., Tejada-Llacsca, P. J., Reinders, S., Pérez, R., Solís, Y., et al. (2021). Home birth preference, childbirth, and newborn care practices in rural Peruvian Amazon. *PloS ONE*, 16(5), e0250702. <https://doi.org/10.1371/journal.pone.0250702>
- Dickson, K. E., Simen-Kapeu, A., Kinney, M. V., Huicho, L., Vesel, L., et al. (2014). Every Newborn: health-systems bottlenecks and strategies to accelerate scale-up in countries. *The Lancet*, 384(9941), 438-454. [https://doi.org/10.1016/S0140-6736\(14\)60582-1](https://doi.org/10.1016/S0140-6736(14)60582-1)
- Dupont, C., Foo, J. L. K., Garnier, P., Moore, N., Mathiex-Fortunet, H., et al. (2009). Oral diosmectite reduces stool output and diarrhea duration in children with acute watery diarrhea. *Clinical Gastroenterology and Hepatology*, 7(4), 456-462. <https://doi.org/10.1016/j.cgh.2008.12.007>
- Fano-Sizgorich, D., Gribble, M. O., Vásquez-Velásquez, C., Ramírez-Atencio, C., Aguilar, J., et al. (2024). Urinary arsenic species and birth outcomes in Tacna, Peru, 2019: a prospective cohort study. *UCL Open Environment*, 6(1), e3146. <https://doi.org/10.14324/111.444/ucloe.3146>
- Fano-Sizgorich, D., Vásquez-Velásquez, C., Aguilar, J., Gribble, M. O., Wickliffe, J. K., et al. (2020). Arsenic concentrations in household drinking water: A cross-sectional survey of pregnant women in Tacna, Peru, 2019. *Exposure & Health*, 12(4), 555-560. <https://doi.org/10.1007/s12403-019-00337-5>
- Fano-Sizgorich, D., Vásquez-Velásquez, C., Yucra, S., Vásquez, V., Tokeshi, P., et al. (2021). Total urinary arsenic and inorganic arsenic concentrations and birth outcomes in pregnant women of Tacna, Peru: A cross-sectional study. *Exposure & Health*, 13(1), 133-140. <https://doi.org/10.1007/s12403-020-00377-2>
- Figueroa-Quintanilla, D., Salazar-Lindo, E., Sack, R. B., León-Barúa, R., Sarabia-Arce, S., et al. (1993). A controlled trial of bismuth subsalicylate in infants with acute watery diarrheal disease. *The New England Journal of Medicine*, 328(23), 1653-1658. <https://doi.org/10.1056/NEJM199306103282301>
- Gonzales, B. E., Mercado, E. H., Castillo-Tokumori, F., Montero, A. E., Luna-Muschi, A., et al. (2023). Pneumococcal serotypes and antibiotic resistance in healthy carriage children after introduction of PCV13 in Lima, Peru. *Vaccine*, 41(28), 4106-4113. <https://doi.org/10.1016/j.vaccine.2023.05.042>
- Guerrero, M., Guillén, D. y Sato, L. (2011). Desarrollo neuropsicológico en niños preescolares con exposición crónica a plomo, residentes en Callao, Perú. *Revista Peruana de Pediatría*, 61(2), 85-92. <https://doi.org/10.61651/rped.2011v64n2p09-15>
- Guillén-Mendoza, D., Bellomo, S., Torres, N., Lazo, E. y Guillén-Pinto, D. (2017). Determinación de plomo en leche materna de madres lactantes en nueve distritos de la ciudad de Lima, Perú. *Acta Médica Peruana*, 34(2), 90-94. <https://doi.org/10.35663/amp.2017.342.315>
- Guillén-Mendoza, D., Escate-Lazo, F., Rivera-Abbiati, F. y Guillén-Pinto, D. (2013). Plomo en sangre de cordón umbilical de neonatos nacidos en un hospital del norte de Lima. *Revista Peruana de Medicina Experimental y Salud Pública*, 30(2), 224-228. <https://doi.org/10.17843/rpmesp.2013.302.195>
- Hernández Díaz, H. (2010). Vacuna contra la tuberculosis: BCG. *Diagnóstico*, 49(3). <https://www.fihu.org.pe/revista/numeros/2010/jul-set/103-105.html>
- Huicho, L., Huayanay-Espinoza, C. A., Herrera-Perez, E., Niño de Guzman, J., Rivera-Ch, M., et al. (2016). Examining national and district-level trends in neonatal health in Peru through an equity lens: a success story driven by political will and societal advocacy. *BMC Public Health*, 16(Suppl 2), 796. <https://doi.org/10.1186/s12889-016-3405-2>

- Huicho, L., Miranda, J. J., Diez-Canseco, F., Lema, C., Lescano, A. G., et al. (2012). Job preferences of nurses and midwives for taking up a rural job in Peru: a discrete choice experiment. *PLoS ONE*, 7(12), e50315. <https://doi.org/10.1371/journal.pone.0050315>
- Huicho, L., Scherpbier, R. W., Nkowane, A. M., Victora, C. G. y Multi-Country Evaluation of IMCI Study Group. (2008). How much does quality of child care vary between health workers with differing durations of training? An observational multicountry study. *The Lancet*, 372(9642), 910-916. [https://doi.org/10.1016/S0140-6736\(08\)61401-4](https://doi.org/10.1016/S0140-6736(08)61401-4)
- Huicho, L., Segura, E. R., Huayanay-Espinoza, C. A., Niño de Guzman, J., Restrepo-Méndez, M. C., et al. (2016). Child health and nutrition in Peru within an antipoverty political agenda: a Countdown to 2015 country case study. *The Lancet. Global Health*, 4(6), e414-e426. [https://doi.org/10.1016/S2214-109X\(16\)00085-1](https://doi.org/10.1016/S2214-109X(16)00085-1)
- Iodine Global Network, Unicef y Organización Panamericana de la Salud (2015). *Eliminación sostenible de los desórdenes por deficiencia de yodo en Latinoamérica. Reporte de los talleres subregionales para evaluar la situación actual de los países de Latinoamérica*. <https://www.amisac.org.mx/wordpress/wp-content/uploads/2015/07/Eliminacion.pdf>
- Jones, G., Steketee, R. W., Black, R. E., Bhutta, Z. A., Morris, S. S., et al. (2003). How many child deaths can we prevent this year? *The Lancet*, 362(9377), 65-71. [https://doi.org/10.1016/S0140-6736\(03\)13811-1](https://doi.org/10.1016/S0140-6736(03)13811-1)
- Kamau, E., Ante-Testard, P. A., Gwyn, S., Blumberg, S., Abdalla, Z., et al. (2025). Characterizing trachoma elimination using serology. *Nature Communications*, 16(1), 5545. <https://doi.org/10.1038/s41467-025-605>
- Limaye, N. P., Rivas-Nieto, A. C., Carcamo, C. P. y Blas, M. M. (2018). Nuestras Historias- Designing a novel digital story intervention through participatory methods to improve maternal and child health in the Peruvian Amazon. *PLoS ONE*, 13(11), e0205673. <https://doi.org/10.1371/journal.pone.0205673>
- Luna-Muschi, A., Castillo-Tokumori, F., Deza, M. P., Mercado, E. H., et al. (2019). Invasive pneumococcal disease in Hospitalised Children from Lima, Peru before and after Introduction of the 7-Valent Conjugated Vaccine. *Epidemiology and Infection*, 147, e91. <https://www.jstor.org/stable/27023424>
- Mercado, E. H., Egoavil, M., Horna, S. G., Torres, N., Velásquez, R., et al. (2012). Pneumococcal serotypes in carrier children prior to vaccine introduction in Peru. *Revista Peruana de Medicina Experimental y Salud Pública*, 29(1), 53-60. <https://doi.org/10.1590/s1726-46342012000100008>
- Miranda, J. J., Diez-Canseco, F., Lema, C., Lescano, A. G., Lagarde, M., et al. (2012). Stated preferences of doctors for choosing a job in rural areas of Peru: a discrete choice experiment. *PLoS One*, 7(12), e50567. <https://doi.org/10.1371/journal.pone.0050567>
- Morocho-Alburqueque, N., Quincho-Lopez, A., Neseemann, J. M., Cañari-Casaño, J. L., Elorreaga, O. A., et al. (2023). Prevalence of and factors associated with childhood anaemia in remote villages of the Peruvian Amazon: a cross-sectional study and geospatial analysis. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 117(8), 598-605. <https://doi.org/10.1093/trstmh/trad018>
- Mosquito, S., Ochoa, T. J., Cok, J. y Cleary, T. G. (2010). Effect of bovine lactoferrin in *Salmonella* ser. Typhimurium infection in mice. *Biometals*, 23(3), 515-521. <https://doi.org/10.1007/s10534-010-9325-1>
- Neseemann, J. M., Morocho-Alburqueque, N., Quincho-Lopez, A., Muñoz, M., Liliana-Talero, S., et al. (2023). Association of vision impairment and blindness with socioeconomic status in adults 50 years and older from Alto Amazonas, Peru. *Eye*, 37(3), 434-439. <https://doi.org/10.1038/s41433-021-01870-x>
- Ochoa, T. J., Chea-Woo, E., Baiocchi, N., Pecho, I., Campos, M., et al. (2013). Randomized double-blind controlled trial of bovine lactoferrin for prevention of diarrhea in children. *Journal of Pediatrics*, 162(2), 349-356. <https://doi.org/10.1016/j.jpeds.2012.07.043>

- Ochoa, T. J., Del Águila, O., Reyes, I., Chaparro, E., Castillo, M. E., et al. (2024). *Streptococcus pneumoniae* serotype 19A in hospitalized children with invasive pneumococcal disease after the introduction of conjugate vaccines in Lima, Peru. *Journal of Infection and Public Health*, 17(1), 44-50. <https://doi.org/10.1016/j.jiph.2023.10.047>
- Ochoa, T. J., Mercado, E. H., Durand, D., Rivera, F. P., Mosquito, S., et al. (2011). Frecuencia y patotipos de *Escherichia coli* diarrogénica en niños peruanos con y sin diarrea. *Revista Peruana de Medicina Experimental y Salud Pública*, 28(1), 13-20. <https://doi.org/10.1590/s1726-46342011000100003>
- Ochoa, T. J., Zegarra, J., Bellomo, S., Carcamo, C. P., Cam, L., et al. (2020). Randomized controlled trial of bovine lactoferrin for prevention of sepsis and neurodevelopment impairment in infants weighing less than 2000 grams. *The Journal of Pediatrics*, 219, 118-125.e5. <https://doi.org/10.1016/j.jpeds.2019.12.038>
- Ochoa, T., Loli, S., Mendoza, K., Carcamo, C., Bellomo, S., et al. (2021). Effect of bovine lactoferrin on prevention of late-onset sepsis in infants <1500 g: A pooled analysis of individual patient data from two randomized controlled trials. *Biochemistry and Cell Biology*, 99(1), 14-19. <https://doi.org/10.1139/bcb-2020-0046>
- Pajuelo, M. J., Noazin, S., Cabrera, L., Toledo, A., Velagic, M., et al. (2024). Epidemiology of enterotoxigenic *Escherichia coli* and impact on the growth of children in the first two years of life in Lima, Peru. *Frontiers in Public Health*, 12, 1332319. <https://doi.org/10.3389/fpubh.2024.1332319>
- Pereyra Zaldívar, H. (2008). *Investigaciones operativas en salud y nutrición de la niñez en el Perú*. Organización Panamericana de la Salud; Ministerio de Salud. <https://cdn.www.gob.pe/uploads/document/file/417126/-435396273900038751620191106-32001-qop26z.pdf>
- Pretell Zárata, E. A. e Higa Yamashiro, A. M. (2008). Eliminación sostenida de los desórdenes por deficiencia de yodo en Perú: 25 años de experiencia. *Acta Médica Peruana*, 25(3), 128-134. <http://www.scielo.org.pe/pdf/amp/v25n3/a02v25n3.pdf>
- Pretell, E. A. (1980). Iodine deficiency and maternal-fetal thyroid relationship. En W. Santos, N. Lopes, J. J. Barbosa, D. Chaves y J. C. Valente (Eds.), *Nutritional Biochemistry and Pathology. Nutrition and Food Science* (vol. 3, pp. 235-237). Springer. https://doi.org/10.1007/978-1-4757-1349-7_27
- Pretell, E. A. (1989). Desórdenes por deficiencia de yodo (DDI): Generalidades y situación en el Perú. En Blanco de Alvarado, T. y Gonzales Mugaburu, L. (Eds.), *Situación nutricional en el Perú* (pp. 395-451). MINSA-OPS. https://cdn.www.gob.pe/uploads/document/file/373719/Des%C3%B3rdenes_por_deficiencia_de_yodo__DDI__Generalidades._Situaci%C3%B3n_en_el_Per%C3%BA20190925-31433-1x3e57w.pdf?v=1569458975
- Pretell, E. A., Moncloa, F., Salinas, R., Kawano, A., Guerra-García, R., et al. (1969). Prophylaxis and treatment of endemic goiter in Peru with iodized oil. *The Journal of Clinical Endocrinology and Metabolism*, 29(12), 1586-1595. <https://doi.org/10.1210/jcem-29-12-1586>
- Reinders, S., Alva, A., Huicho, L. y Blas, M. M. (2020). Indigenous communities' responses to the COVID-19 pandemic and consequences for maternal and neonatal health in remote Peruvian Amazon: a qualitative study based on routine programme supervision. *BMJ Open*, 10(12), e044197. <https://doi.org/10.1136/bmjopen-2020-044197>
- Reinders, S., Blas, M. M., Neuman, M., Huicho, L. y Ronsmans, C. (2023). Prevalence of essential newborn care in home and facility births in the Peruvian Amazon: analysis of census data from programme evaluation in three remote districts of the Loreto region. *Lancet Regional Health. Americas*, 18, 100404. <https://doi.org/10.1016/j.lana.2022.100404>
- Rivera, F. P., Medina, A. M., Bezada, S., Valencia, R., Bernal, M., Meza, R., et al. (2013). Bovine lactoferrin decreases cholera-toxin-induced intestinal fluid accumulation in mice by

ganglioside interaction. *PLoS ONE*, 8(4), e59253.
<https://doi.org/10.1371/journal.pone.0059253>

- Salazar-Lindo, E., Figueroa-Quintanilla, D., Cacicano, M. I., Reto-Valiente, V., Chauviere, G., et al. (2007). Effectiveness and safety of *Lactobacillus* LB in the treatment of mild acute diarrhea in children. *Journal of Pediatric Gastroenterology and Nutrition*, 44(5), 571-576. <https://doi.org/10.1097/mpg.0b013e3180375594>
- Salazar-Lindo, E., Miranda-Langschwager, P., Campos-Sanchez, M., Chea-Woo, E. y Sack, R. B. (2004). *Lactobacillus casei* strain GG in the treatment of infants with acute watery diarrhea: A randomized, double-blind, placebo-controlled clinical trial. *BMC Pediatrics*, 4, 18. <https://doi.org/10.1186/1471-2431-4-18>
- Salazar-Lindo, E., Sack, R. B., Chea-Woo, E., Kay, B. A., Piscocoya, Z. A., et al. (1986). Early treatment with erythromycin of *Campylobacter jejuni*-associated dysentery in children. *The Journal of Pediatrics*, 109(2), 355-360. [https://doi.org/10.1016/s0022-3476\(86\)80404-8](https://doi.org/10.1016/s0022-3476(86)80404-8)
- Salazar-Lindo, E., Sack, R. B., Chea-Woo, E., Leon-Barua, R., Kay, B. A., et al. (1986). Bicarbonate versus citrate in oral rehydration therapy in infants with watery diarrhea: a controlled clinical trial. *The Journal of Pediatrics*, 108(1), 55-60. [https://doi.org/10.1016/s0022-3476\(86\)80768-5](https://doi.org/10.1016/s0022-3476(86)80768-5)
- Salazar-Lindo, E., Santisteban-Ponce, J., Chea-Woo, E. y Gutierrez, M. (2000). Racecadotril in the treatment of acute watery diarrhea in children. *The New England Journal of Medicine*, 343(7), 463-467. <https://doi.org/10.1056/nejm200008173430703>
- Sehgal, N., Pajuelo, M. J., Gilman, R. H., Pickering, A. J., Earl, A. M., et al. (2024). *Effects of commonly used antibiotics on children's developing gut microbiomes and resistomes in peri-urban Lima, Peru*. medRxiv. <https://doi.org/10.1101/2024.12.13.24317790>
- Stephensen, C. B., Franchi, L. M., Hernandez, H., Campos, M., Gilman, R. H., et al. (1998). Adverse effects of high-dose vitamin A supplements in children hospitalized with pneumonia. *Pediatrics*, 101(5), E3. <https://doi.org/10.1542/peds.101.5.e3>
- The Bellagio Study Group on Child Survival (2003). Knowledge into action for child survival. *The Lancet*, 362(9380), 323-327. [https://doi.org/10.1016/s0140-6736\(03\)13977-3](https://doi.org/10.1016/s0140-6736(03)13977-3)
- Vallenas, C., Hernandez, H., Kay, B., Black, R. y Gotuzzo, E. (1985). Efficacy of bone marrow, blood, stool, and duodenal contents cultures for bacteriologic confirmation of typhoid fever in children. *The Pediatric Infectious Disease Journal*, 4(5), 496-498. <https://doi.org/10.1097/00006454-198509000-00011>